



# LE-803

Releasing Agent  
PDS

## Description

LE-803 can spread quickly to any material on the mold so that the defective rate of the product compared to the traditional release agent should be substantially lower, mold will not lump because of carbon compounds after using, especially using in tripping rubber tires.

## Characteristics

- Storage of high concentration and dilution of low-concentration will not stratify
- It can completely cover the mold surface uniformly to ensure that the products will not differentiate due to non-uniform coating
- After prolonged use of LE-803, the mold can be cleaned with water so there will be no need to buy another cleaning agent which causes chemical damage on the mold and leading to re-plating and resulting in increased costs
- It does not accumulate hard dirt on the mold

## Properties

Appearance	Milky white liquid
Active ingredient(%)	30.0%
pH(10%Solution,25°C)	6.5±1.0
Ionic type	Nonionic
Diluent	Water

## Safety

This document does not contain the safety information required for the product. Please read the safety data sheet for this product before use.

## Storage & packaging

When stored in its originally sealed packaging at 5°C - 40°C, this product may be stored for up to 8 months from its manufacturing date. Comply with the storage instructions marked on the packaging. Once past this expiration date, TAI COUNTY CHEMICAL no longer guarantees that the product meets the sales specifications. Product comes in 200 kg HDPE blue drums.

## Applications

- Vehicle tires, rubber tubes and rubber stripping to use film and other manufactured goods
- Rubber plastic with an antistatic agent
- Rubber and plastic products with an anti-stick release agent
- Leather and wooden furniture, stone floor waxing or glossing
- Vehicle inner tire glossing

## Processing

- Dilute with water to a ratio between 1/50 to 1/75
  - Mold is water washable after prolonged use of LE-803
  - For industrial use only
  - Please wear gloves while handling
- (Depending on the actual conditions, you can adjust the usage amount.)

The data provided above is to the best of our knowledge and experience and is without any warranty. Users should thoroughly test any application and independently conclude satisfactory performance before use.

## TAI COUNTY CHEMICAL

TAIPEI Factory: NO. 91, Museum Rd., Bali Township, Taipei County 24947, Taiwan  
FACTORY REGISTRATION NO: 99.695614.00  
YUNLIN Factory: NO. 1, Changqing St., Lunbei Township, Yunlin County 63745, Taiwan  
FACTORY REGISTRATION NO: 09000892  
Tel: 886-2-2610-4457  
Fax: 886-2-2610-1363  
E-MAIL : [service@taicounty.com.tw](mailto:service@taicounty.com.tw)  
[www.taicounty.com.tw](http://www.taicounty.com.tw)